Winter Maintenance Plan

2017



Contents

1.	General		3
1	.1.	Key Points	3
1	2.	Introduction	4
2.	Poli	су	5
2	2.1.	Precautionary Salting Network	5
2	2.2.	Severe Winter Weather and Extreme Winter Weather	7
2	2.3.	Treatment Priorities during Severe Winter Weather or Extreme Winter Weather	8
2	2.4.	Footway Treatment	9
2	2.5.	Weather Stations	10
2	2.6.	Decision Making	11
2	2.7.	Response Times	12
2	2.8.	Grit Bins	13
2	2.9.	Budget	14
2	2.10.	Plant	15
2	2.11.	Cross-Boundary Agreements	16
2	2.12.	Road Not Gritted Signs	17
2	2.13.	Severe Weather Routes	18
2	2.14.	Mutual Aid Arrangements	19
3.	Procedures		
3	3.1.	Decision Making Process	20
3	3.2.	Salt, Salt Storage and Brine Making Facilities	22
3	3.3.	Precautionary Salting	23
3	3.4.	Treatments for Snow, Ice and Freezing Rain	24
3	3.5.	Snow Clearance Protocol	28
3	3.6.	Snow Room (Multi – Agency Emergency)	30
3	3.7.	Media	32
3	3.8.	Weather Forecast Service	33
3	3.9.	Route Based Forecasting	34
3	3.10.	Treatment Flowcharts	35
3	3.11.	Cross Boundary Agreements	36
3	3.12.	Public Self Help Guidance literature	40
3	3.13.	Use of rebated Diesel Oil (Red Diesel)	41
3	3.14.	Mutual Aid and Self Help Arrangements with Parish and District Councils	42

1. General

1.1. Key Points

PRECAUTIONARY SALTING NETWORK

The Lincolnshire County Council prioritises 3,008 km of its road network in the form of a Precautionary Salting Network.

SEVERE WEATHER ROUTE NETWORK

During extraordinary weather events and only after the Precautionary Salting Network is deemed as appropriately gritted, the Resilience team will move to grit the Severe Weather Network. The Severe Weather Network contains routes that enable accessibility to important local services and villages.

ROUTE BASED FORECASTING

The Winter Maintenance Service has moved away from solely temperature—based forecasting to a Route Based Forecasting system which improves efficiency and achieves better value for money. Innovations in forecasting technology now allow the Forecast Service Provider to provide a "route based forecast", which is effectively an individual forecast for each of the 43 precautionary salting routes, each of which is divided into multiple sections. Temperature, however, continues to form part of the decision-making process alongside Route Based Forecasting

SALTING STOCK

A minimum of 35,000 tonnes of salt should be in stock at the start of the winter season, with a minimum of 15,000 tonnes available at any time across the county. These salt stocks are kept under cover within our local highways depots.

PRE-WETTING SYSTEM

A system of Pre-Wetting has been used to facilitate better gritting of the roads by helping the salt stick to the road, making the salting process less dependent on weather conditions. The Pre-wetting system sprays the salt with a Brine solution which causes the salt to go into a chemical reaction which facilitates de-icing without the need for vehicles to drive over the salt.

1.2. Introduction

- 1.2.1. A Highway Asset Management Plan is produced and updated annually. This plan sets out standards, policy and objectives for the highway network. The Winter Maintenance Plan is a supplement to the Highway Asset Management Plan.
- 1.2.2. Lincolnshire County Council carries out precautionary and snow clearance treatments on carriageways and footways in accordance with this approved policy across the County.
- 1.2.3. All Trunk Road treatment is carried out by Highways England's Contractors as part of the Area 7 agency, which is run by Highways England. The Trunk Road network includes the A1, A52 west of Grantham and A46 County Boundary to Carholme Road Roundabout Lincoln.
- 1.2.4. There are eight operational depots in the County. These are located at Sturton by Stow, Willingham Hall, Manby, Horncastle, Ancaster, Thurlby, Chainbridge and Pode Hole. The Salt specification is for 6 mm high purity salt at all depots, to enable prewet operations.
- 1.2.5. All operations are carried out taking regard of National Guidance and Best Practice contained within the following documents:
 - Section 13 of Well Managed Highway Infrastructure A Code of Practice
 - National Winter Service Research Group Practical Guide for Winter Service.

2. Policy

2.1. Precautionary Salting Network

- 2.1.1. Winter Maintenance operations will give priority to a 3,008 km network of priority routes, as shown in Appendix J, which have taken into account historical treatment and public awareness. This network is defined as:
 - 1,200 km Lincolnshire Local Strategic Road Network which includes the A and B road network.
 - Links to all the County's main villages, as defined in Appendix A.
 - Where physically possible, treated links to within at least 500 m of all primary and secondary schools.
 - Links between all main NHS hospital and the treated network.
 - Links between all railway and bus stations and the treated network.
 - That the incorporation of certain combined public service/school bus routes into
 the priority network be considered. However their inclusion be based upon
 criteria taking into account historical accident data, pupil numbers and
 geographical risk factors. It should be noted that all public service/school bus
 drivers are professional PSV drivers trained to drive in winter weather
 conditions.
- 2.1.2. All treatments shall be carried out using appropriate action for the prevailing conditions in accordance with national guidance and best practice. Winter maintenance operations comprise precautionary salting and snow clearance. It is not realistic to treat the entire county's 8,999 km road network and first call on resources is given to a 3,008 km network of priority routes.
- 2.1.3. All future requests for roads to be included into the Precautionary Salting Network will be evaluated against the above criteria. Where ever practicable there will be continuity with cross border routes. All requests for additions to the Precautionary Salting Network will be considered and rated against a set of objective criteria with the assistance of a Network Evaluation form. The findings will be summarised and a report presented to the Executive Councillor for Highways. This will be completed out of season as detailed in Appendix B.
- 2.1.4. Roads not on the Precautionary Salting Network and footways are not normally treated on a precautionary basis, the exception being at times of Severe or Extreme

forecasts of snow as defined in <u>Section 2.2</u>. In this case precautionary treatment may be carried out if available resources allow.

2.2. Severe Winter Weather and Extreme Winter Weather

- 2.2.1. Severe Winter Weather is defined as persistent widespread ice (rather than frost) or snow for more than 18 hours in a 24 hour period and a forecast not to rise above zero for a further 18 hours in the next 24 hours. Or a forecast, with a high confidence of significant snowfall resulting in accumulations of 5 cm or more or where drifting is expected and conditions are forecast to persist for at least 24 hours.
- 2.2.2. Extreme Winter Weather is defined as a period of widespread prolonged snow, following a period of Severe Winter Weather, of sufficient depth to cause disruption to both the treated and non-treated highway network. It is expected that during a period of Extreme Winter Weather there will not be sufficient resources available to treat either the severe weather route network or the footway networks. The Director of Environment and Economy, as a Category 1 Responder, will declare an Emergency under the Civil Contingencies Act 2004 and call for the setting up a Strategic Co-ordination Group (see Section 3.6)
- 2.2.3. The definition of Severe and Extreme weather in a winter maintenance context seeks to ensure consistency and define a standard when the public can expect the treatment of severe weather routes and footways to commence.

2.3. Treatment Priorities during Severe Winter Weather or Extreme Winter Weather

- 2.3.1. At times of Severe Winter Weather or Extreme Winter Weather, as defined in section 2.2, treatment priorities will be as follows:
 - 1. Carriageways on the approved 3,008 km Precautionary Salting Network as defined in <u>Section 2.1</u>.
 - 2. Carriageways on the Severe Weather Network as <u>Section 2.13</u>.
 - 3. Footways in accordance with <u>Section 2.4</u>.
- 2.3.2. When dealing with snow bound or compacted ice on carriageways, treatments employing a mixture of salt and grit/sharp sand shall be first choice. In times of extremis and to aid traction, grit on its own should be considered for routes not on the Precautionary Salting Network and the Footway Network.
- 2.3.3. Variations in the above priorities may be necessary to suit local conditions and the efficient planning of treatment routes. Liaison between Districts will be undertaken prior to treatment of the Severe Weather Routes to ensure a consistent standard of service with adjacent areas when dealing with severe frost.
- 2.3.4. Remedial treatment decisions are based on the above priorities and knowledge of local conditions.

2.4. Footway Treatment

- 2.4.1. During periods of Severe or Extreme Winter Weather the treatment of footways will be considered when resources permit. Footways to be treated will reflect their importance in the County's footway hierarchy as defined in the Highways Asset Management Plan. The footway priority network for winter maintenance operations, in descending order of importance, consists of:
 - 1. Hierarchy 1a. Each Area will keep a list of footways in and around Transport Interchanges, including footways to main car parks, designated Hierarchy 1a. The designation 1a will be for winter maintenance purposes only.
 - 2. Hierarchy 1 and 2 footways.
 - 3. Hierarchy 3 footways with gradients greater than 1 in 10 longitudinally, for longer than 50 metres.
 - 4. Other Hierarchy 3 footways.
 - 5. Hierarchy 4 footways.
- 2.4.2. When a period of Severe or Extreme Winter Weather, as defined in <u>Section 2.2</u>, is experienced or forecast consideration will be given to treating Hierarchy 1a footways prior to the onset of these conditions.
- 2.4.3. Lincolnshire County Council has adopted the Midlands Service Improvement Group (Winter Maintenance) Winter Service for Footways and Cycleways Treatment Table as the winter service standard for footways and cycleways. See Appendix D.

2.5. Weather Stations

- 2.5.1. A system of local weather stations will be operated and used both to feed into the weather forecast model and to monitor local conditions. A professional forecasting service will be used to guide treatment decisions.
- 2.5.2. The County Council has, in conjunction with Highways England, installed 22 remote weather stations at sites which cover the different climatic zones within Lincolnshire, of which 12 are used for forecasting.
- 2.5.3. Information from these sites is supplemented by information from adjacent sites in other Counties and fed into the weather forecast model. It is also used to check on temperature (air and road), humidity and wind speed. The sites enable both improved local forecasts to be obtained and actual conditions monitored. All the information can be accessed using a desktop/laptop PC, or on smartphones/tablets.

2.6. Decision Making

- 2.6.1. During the winter maintenance period of 1st October to 30th April, suitably trained Lincolnshire County Council staff (Duty Officers) will monitor weather forecasts and weather conditions on a 24 hour basis. This will enable treatment decisions to be tuned to changing winter weather conditions. The Duty Officer is authorised to make certain winter maintenance treatment decisions as detailed below:
 - During the normal working day there will be a Duty Officer on duty who is authorised to make precautionary salting treatment decisions.
 - In addition, the Duty Officer will control all footway and Severe Weather Route treatment and during times of snow will liaise with Local Highway Managers and the Incident Control Rooms.
 - The Duty Officer will also be available for consultation at all times.
- 2.6.2. At all other times winter maintenance operations will be monitored and controlled by the Winter and Emergency Duty Officer on shift. These officers are authorised to make precautionary salting treatment decisions only. They will consult with the Duty Officer to maintain an input to all actions.
- 2.6.3. All Staff making winter maintenance decisions shall be suitably trained. Competence is demonstrated by the following:
 - 1. Completion of the Met Office Road Weather Training Course
 - 2. Completion of the Vaisala Winter Weather Scenario Training
 - 3. Within a 5 year period, completion of one of either the above courses as a refresher.
- 2.6.4. Guidance on the decision making process is contained within flowcharts at Appendix E, Appendix F and Appendix G.

2.7. Response Times

- 2.7.1. The response required from the Term Contractor on the Precautionary Salting Network when an urgent precautionary salting call-out is notified is:
 - Spreaders to be loaded and depart from operational bases within 1 hour.
 - All routes to be treated within four hours of spreaders leaving the depot.
- 2.7.2. Initial decisions are to be notified to the Highway Works Term Contractor by 12:00 every day. Where possible, longer notice is given to the contractor of the time when treatment is to be started.
- 2.7.3. The winter maintenance contract includes for a 1 hour response time. The treatment time for all routes is less than 3 hours.

2.8. Grit Bins

- 2.8.1. Salt/Grit bins will be provided and maintained on request if the location meets criteria set out in Appendix C and a responsible body undertakes to:
 - Spread salt/grit when necessary; and
 - Inform the Network Resilience Team when it needs refilling
- 2.8.2. Salt/Grit bins shall only be filled with a 50/50 mixture of salt and grit/sharp sand.
- 2.8.3. These bins are provided on a self-help basis to local communities to treat known local trouble spots on the public highway not covered by the Priority Route Network.
- 2.8.4. In rural areas it is generally the Parish Council which requests and accepts responsibility for a bin or bins. In urban areas such as Lincoln City examples of responsible bodies with a nominated individual as contact can mean:
 - City Centre/Town Wardens
 - School caretakers
 - Care home/sheltered accommodation wardens
 - Group of shops
 - Fire/ambulance stations
 - District Councils/Town Councils
 - Group of residents with a nominated contact.
- 2.8.5. Salt/Grit bins will not be provided at sites which are prone to vandalism or other damage or where they have waste put in them.
- 2.8.6. Evaluation for additional Salt/Grit Bins requests will be carried out before each winter season. All requests will be considered and rated against a set of objective criteria with the assistance of Grit Bin Evaluation Form. The findings will be summarised and a report presented to the Executive Councillor for Highways, Transport and IT. This will be completed out of season as detailed in Appendix C.

2.9. Budget

- 2.9.1. The Budget for winter maintenance will be based on expenditure in an average winter with annual fluctuations catered for by the Adverse Weather Reserve Fund.
- 2.9.2. An average winter is defined as 85 precautionary salting runs and 2 days of continuous ploughing and salting to deal with snow.
- 2.9.3. Winter maintenance expenditure in any single financial year is subject to the vagaries of the winter weather. Hence there can be large unpredictable fluctuations between years. The normal practice has been that in a Severe/Extreme Winter for the excess expenditure over the budget to be financed from the reserve fund and in a mild winter the savings used to replenish the reserve.

2.10. Plant

- 2.10.1. To ensure it has sufficient resources for its winter maintenance operations the County Council will provide as a minimum:
 - 43 Front line pre-wet gritters
 - 4 spare pre-wet gritters
 - 1 snow blower attachment
 - 47 snow ploughs
 - 8 operational centres at which gritters and salt supplies will be based
 - At the start of each winter season there will be a minimum of 35,000 tonnes of salt in stock or available at quayside.
- 2.10.2. The above resources will not always be needed but are the minimum deemed necessary to provide a reasonable level of service in all but the most severe conditions. At such times extra resources, including plant and labour, are hired in as necessary and as available.
- 2.10.3. Before the start of each winter season agreements are made with local farmers, hauliers and other contractors on such matters as plant and labour availability and hire rates.

2.11. Cross-Boundary Agreements

- 2.11.1. The County Council will enter into cross border agreements to maximise efficiency and consistency of treatment with adjacent authorities on reciprocal treatment arrangements on certain roads. Where this occurs each authority will treat the section of road concerned in accordance with their authority's winter maintenance policy and in agreement with an exchange of letters under Section 8 of the Highways Act 1980.
- 2.11.2. Section 3.10 contains a list of agreed cross boundary routes.

2.12. Road Not Gritted Signs

- 2.12.1. The County Council will not erect any additional permanent "Road not gritted" signs on the network.
- ${\bf 2.12.2.} \ \ {\bf Existing\ signs\ on\ the\ network\ will\ continue\ to\ be\ maintained.}$

2.13. Severe Weather Routes

- 2.13.1. Only during periods of Severe or Extreme Winter Weather will the treatment of Severe Weather Routes be considered, when resources permit.
- 2.13.2. The Severe Weather Network for winter maintenance operations contains routes that enable accessibility to important local services and villages. It consists mainly of carriageways leading to communities not covered by the Precautionary Salting Network.
- 2.13.3. The Severe Weather Network will only be gritted in times of severe or extreme weather, and after the security and accessibility of the Precautionary Salting Network has been assured by the Network Resilience Team.
- 2.13.4. The Network Resilience team will prepare a network of severe weather highway routes reflecting the above policy and will treat in whole or in part according to prevailing conditions.
- 2.13.5. Using the expertise and local knowledge from Local Highways Managers alongside effective Asset data regarding the County's road network, the Severe Weather routes will incorporate a set of defined carriageways leading to important local facilities.
- 2.13.6. For reasons of safety, normally roads on the Severe Weather Network will only be treated during the hours of daylight.

2.14. Mutual Aid Arrangements

- 2.14.1. Mutual Aid arrangements shall be prepared, where possible, with all other Category 1 responders as defined under the Civil Contingencies Act 2004. These will come into operation during periods of Extreme Winter Weather as defined in Section 2.2.
- 2.14.2. An agreement in principle has been reached with the local NHS Trust to maintain access to all critical hospital sites within the county, which include:
 - Lincoln County Hospital
 - Grantham Hospital
 - Pilgrim Hospital Boston
 - John Coupland Hospital, Gainsborough
 - Louth Hospital
 - Skegness Hospital
 - Johnson Hospital Spalding.
- 2.14.3. The main access route into and through all of the above establishments will be maintained by a mainline gritter during this period if the local NHS Trust resources cannot cope. Salt may also be provided to enable the footways within the hospital grounds to be treated, with the NHS utilising its resources to maintain access on adjacent public highway footways. The above is subject to resource constraints at the time.

3. Procedures

3.1. Decision Making Process

- 3.1.1. The Duty Officer is in receipt of winter weather forecasts by approximately 11:00 daily and an instruction relating to precautionary salting normally will be passed to the Term Contractor by 12:00 on the same day. The instruction will be passed using the Bureau Service Provider's winter maintenance management software.
- 3.1.2. The Winter and Emergency Duty Officers will be responsible for decisions during any other time.
- 3.1.3. The decision relating to salting may take one of several forms:
 - **Standby A**: Confirmed salting of all or specified routes where drivers and operators are to be given details of timings, salt loads and rate of spread.
 - Standby B: Confirmed stand-by for a possible requirement for salting of all or specified routes where drivers are to report to the operational centre and to be immediately available to perform duties as required by the Lincolnshire County Council.
 - **Standby C**: No action at present but drivers to remain available to go if required over the next 24 hours.
 - Standby D: Precautionary salting is unlikely to be required over the next 24 hours.
- 3.1.4. Response times are defined as the period between issuing instructions to carry out salting and the vehicles are loaded, manned and ready to leave the depot. On all salting operations, the response time shall not exceed one hour unless approved by the Duty Officer regardless of the time of day or night that the instruction is given. The Highway Works Term Contractor shall ensure that all manpower engaged upon these operations can achieve this specified response time.
- 3.1.5. Standby is a requirement for drivers and operatives to report at a specified time to the depot in readiness to carry out winter maintenance operations. This item will also apply in the event of a precautionary salting run abandoned before vehicles have left the depot.
- 3.1.6. Decisions will only be made by members of staff who comply with the requirements in <u>Section 2.6</u>.

- 3.1.7. Decisions will be made using the Precautionary Salting Flow Charts found at Appendix E, Appendix F and Appendix G and will take into account other factors including:
 - Any expected residual salt level based on professional experience and utilising the grip factor readings from the roadside weather station system.
 - Professional guidance from the Forecast Service Provider.
 - Decision to treat only part of the priority network in marginal weather conditions can be taken utilising Route Based Forecast.
- 3.1.8. It is acknowledged, that on occasions, part(s) of the Precautionary Salting Network may experience localised isolated or limited extents of ice/hoar frost, such as bridge decks. This is due to local meteorological conditions. In these circumstances no treatment will take place; it is the primary responsibility of the motorist to take care of their own safety.

3.2. Salt, Salt Storage and Brine Making Facilities

- 3.2.1. Where possible all salt stocks will be kept under cover in salt barns. Where this is not possible, all external salt stocks will be kept covered using waterproof sheeting systems.
- 3.2.2. All salt will be regularly tested for compliance with standards set out by Lincs Laboratory.
- 3.2.3. Ordinarily salt stocks shall be maintained to ensure a minimum of 15,000 tonnes is available at any one time across the county, with a minimum of 35,000 tonnes available at the start of the season, including any strategic stockpiles or salt stored at dockside. This may be altered in accordance with any national standards/practices that may be developed for nationwide snow conditions.
- 3.2.4. Brine making facilities are provided at Sturton by Stow, Willingham Hall, Manby, Thurlby, Ancaster, Chainbridge and Pode Hole depots. Brine is imported at Horncastle depot from Omex at Bardney.
- 3.2.5. All brine is made to a nominal 23% saturation. Facilities at Ancaster and Thurlby have the capacity to add a 10% mixture of an Agricultural Bi-product (Safecote) to the brine. This ABP causes the salt to adhere to the carriageway, making it less susceptible to losses from wind and allowing for lower spread rates. It also depresses the freezing action of salt below -7 degrees centigrade. In the past, ABPs have caused maintenance issues with the brine plant installed in Lincolnshire and so will not be used routinely, but considered in periods of severe or extreme weather. When Safecote is added to the brine mixture, treatments shall be amended as per the Precautionary Salting Flowcharts found at Appendix E, Appendix F and Appendix G.
- 3.2.6. Salt utilised for all operations shall be high purity 6mm marine or rock salt.

3.3. Precautionary Salting

- 3.3.1. Roads off the Precautionary Salting Network are not normally treated on a precautionary basis. They may only be treated due to localised factor such as a burst water main or standing water due to field runoff.
- 3.3.2. Precautionary salting may also be carried out on Severe Weather Routes when prolonged low temperatures, with attendant risk of icy roads, or persistent frosts occur in accordance with Section 2.2 and Section 2.13.
- 3.3.3. 43 dedicated front-line gritters shall be utilised for precautionary salting.
- 3.3.4. 4 spare gritters shall be utilised as back-ups to front line gritters, located strategically at depots across the County.
- 3.3.5. Treatment time shall be a maximum of 3 hours.
- 3.3.6. Any Precautionary Salting Route not completed when road temperatures rise above 1 degree Centigrade will be reviewed by the Winter and Emergency Duty Officer and a decision made whether or not to stop salting.
- 3.3.7. Network Resilience staff will have access to the Bureau Service Provider's Management system and the Forecast Service Provider's systems.
- 3.3.8. In the event of uncertain weather forecasts, decisions should be weighted in favour of salting.
- 3.3.9. The winter maintenance season is divided into two periods:
 - High Risk November to March
 - Low Risk October and April

(Instructions are only issued when salting is required).

- 3.3.10. The Highways Authority will not respond to requests for treatment off the gritted network by the Police, unless as detailed in 3.3.1.
- 3.3.11. Precautionary spreading operations are carried out utilising pre-wet treatments at a ratio of 70/30 dry salt to brine.

3.4. Treatments for Snow, Ice and Freezing Rain

- 3.4.1. Lincolnshire County Council has a statutory duty under Section 150 of the Highways Act 1980 to remove obstructions. Snow is considered to be an obstruction when it impedes the use of the road network.
- 3.4.2. The Forecast Service Provider will provide National Weather Warnings if any sizeable accumulations of snow are expected.
- 3.4.3. The following are treatments timings for snow and ice:

Timing of Treatment	Treatment Type
Before snowfall and freezing rain	Salt spreading
During freezing rain, or where there are minor accumulations of ice	Salt spreading
After snowfall when there is slush on the road	Ploughing Salt spreading
After snowfall when there is compacted snow or ice on the road	Ploughing Salt spreading Salt and abrasives mixtures Abrasives only

- 3.4.4. When snow is forecast advanced salting at 20g/m² dry will take place on the Precautionary Salting Routes. Time permitting a further run may be carried out to increase salt coverage to 40g/m² dry. Pre-snow salting may be considered for Severe Weather Routes if time permits. This will provide a de-bonding layer and facilitate the breakup and dispersal of snow by subsequent treatments and traffic.
- 3.4.5. Depots which may be affected by the snow will be notified to Fleet Services, the external contractor responsible for the maintenance of the vehicles, to inform them of the impending falls. They will be asked to ensure that fitters will be available to change plough blades etc. at these depots when required.
- 3.4.6. If it is likely the snow blower will be required, the Network Resilience team will arrange for its use.
- 3.4.7. Snowfalls will be categorised into one of the following types:
 - Heavy Snowfall Over 100mm or moderate snowfall is drifting. Normally dealt with by ploughing.
 - Moderate Snowfall Over 25mm and up to 100mm. Normally will be dealt with by ploughing and salting

- Light Snowfall up to 25mm. normally will be dealt with by additional salting unless drifting occurs.
- 3.4.8. It is impractical to spread sufficient salt to melt more than very thin layers of snow and ice. Ploughing is the only economical, efficient, effective and environmentally acceptable way to deal with all but light snow. Therefore when snowfalls are forecast that could create plough-able conditions (25mm or greater) the Highway Works Term Contractor will be contacted to fit ploughs to gritters and to arrange crews for clearing and salting footways.
- 3.4.9. Each vehicle will be given specific routes to plough.
- 3.4.10. The modern Schmidt Cirrion and equivalent snow ploughs with ceramic or steel blades fitted to the gritter fleet are designed to plough back to the carriageway surface (plough to black).
- 3.4.11. When Heavy Snowfall is forecast, the Network Resilience team will contact respective Contractors and farmers to arrange additional resources.
- 3.4.12. When prolonged falls are forecast, continuous ploughing to prevent snow build-up should commence. The ploughing can be combined with simultaneous salting at 20 40g/m² Dry (Abrasive mixture 50/50 mixture of sand/salt to be considered) so that a wet base can be maintained. Once the snow depth has reached 100mm or the snow is drifting, or the gritter is salting on a gradient it may be desirable to plough without salt. (The salt should still be loaded as it will aid the traction of the gritter to the maximum legal weight limit of the vehicle. (i.e. (as a general rule) if the plough is fitted then the vehicle can carry a full hopper load of salt provided that the brine tanks are empty of solution.)
- 3.4.13. Roads with vertical speed humps will not be ploughed. Vertical speed humps must be detailed on all route cards for the driver, as their presence constitutes a driving hazard whilst carrying out ploughing operations.
- 3.4.14. As snow melts due to the action of salt, slush may build up on the road. Ploughing may have to continue to remove this slush build up.
- 3.4.15. If conditions deteriorate to an extent that resources cannot maintain the Precautionary Salting Network then certain roads will have to be abandoned.
- 3.4.16. Resources can be redeployed to maintain essential roads and when necessary be used to assist the emergency services in particularly urgent/life threatening situations. In these conditions the snow room maybe set up in accordance with Lincolnshire County Council's Emergency Plan, at the Emergency Planning Centre.

- 3.4.17. When conditions improve such that the Precautionary Salting Network is satisfactorily cleared then resources will then be directed to clearing firstly severe weather routes and then other routes in order of importance. Crews will be directed to clear other footways only after hierarchy 1a footways have been cleared and treated as set down in Section 2.4.
- 3.4.18. Snow Clearance Priority:
 - 1. Precautionary Network (including access to emergency services buildings)
 - 2. Severe Weather Routes.
 - 3. Other important locations (including essential industrial and military establishments, mainline stations, bus garages, shopping centres, schools and pedestrian areas).
 - 4. Other Commuter routes.
 - 5. Single accesses to villages, hamlets and rural communities.
 - 6. Residential roads and footways.
 - 7. Roads to single premises.
- 3.4.19. When snow clearing is in operation it is vitally important to liaise with neighbouring Districts and adjacent Authorities, particularly when moving from precautionary salting to snow clearing or vice versa, to avoid non-treatment of certain parts of the network. This is particularly important with reciprocal salting arrangements.
- 3.4.20. Priority should be given to footways in shopping areas and where there is a high proportion of pedestrian traffic, in accordance with <u>Section 2.4.</u>
- 3.4.21. The snow blower shall be based at strategic locations close to known trouble spots on strategic routes and will be brought into action as necessary on the instruction of network management. Snow blowers should never be used on level crossings.
- 3.4.22. Level Crossings Network Rail or the appropriate rail authority should be contacted when ploughing starts by Local Highways Officers. This is to ensure that railway tracks at level crossings are not blocked by snow.
- 3.4.23. Post-snow action The following work should be given consideration after snow operations:
 - 1. Clear all gullies and drainage outlets of obstructions.

- 2. Sweep significant accumulations of grit from the carriageway and footways as soon as possible.
- 3. Thoroughly wash down all vehicles and lubricate gritting equipment.
- 4. Check all equipment and repair or replace all worn parts on snow ploughs, and report on plant performance to the network manager.
- 5. Salt stocks level should be closely monitored and replenished as necessary.
- 6. Inspect roads for frost damage and carry out any remedial work necessary to make the carriageway free of safety defects
- 7. Inspect bridges and culverts liable to flooding to ensure that they are clear of debris.
- 8. Carry out a survey of badly affected locations reporting to network management including a generalised assessment of other frost/snow/flood damage.
- 9. Sign defects where appropriate, ensuring "flood" boards and other relevant signs are available.
- 10. Network Resilience Team to evaluate overall performance in consultation with Local Highways Teams and Term Contract and Fleet Services Contract staff, and recommending changes to procedures to be incorporated into this document.

3.5. Snow Clearance Protocol

- 3.5.1. Between 17:00 and 08:00 and at weekends and at bank holidays the Network Resilience Manager will be contacted by the Winter and Emergency Duty Officer when snow begins to fall. At other times the Duty Officer is to maintain close contact with the Forecast Service Provider (MET office) when snow is forecast.
- 3.5.2. Out of Hours, the Duty Officer will contact the following staff as soon as it has been determined that ploughs are to be fitted:
 - Network Resilience Manager
 - Local Highways Managers
 - Term Maintenance Contractor
- 3.5.3. If it is considered before the event that ploughs may be needed during the night, the Network Resilience Manager and Local Highways Managers should be aware of such action.
- 3.5.4. Snow Clearing operations based on the non-Precautionary Salting Network will be coordinated by the Network Resilience team in liaison with Local Highways Managers. Operational instructions will be passed to the Term Maintenance Contractor who will be based at the operational depots, plus other Contractors.
- 3.5.5. The Network Resilience Manager will normally be in overall control of decisions such as when the Precautionary Salting Network is satisfactory for moving to Severe Weather Routes.
- 3.5.6. The Network Resilience Team are to ensure that the details of plant in use are recorded on a daily basis during periods of snow.
- 3.5.7. In the event of a Network Operations Room being opened for snow conditions as part of a Level 1 Emergency (as defined in the Incident Response Plan as part of the Emergency contingency planning within Lincolnshire County Council) a road condition report will be completed by the Network Operations Room staff and forwarded to the Network Resilience team as soon after 09:00 as possible daily.
- 3.5.8. As soon as possible after the end of each shift/period the Network Resilience team will agree with the Highway Works Term Contractor the labour and plant used and finalise a daily plan report. This will form the basis of an agreed measurement duly signed by both Client and Contractors. Note: All contract item numbers to be agreed at this stage.
- 3.5.9. The agreed report will also contain details of salt and grit used which should be used to update records of salt stocks.

3.5.10. During snow operations where Contractor Patrol Crews (a two man team from the Contractor) are employed between the hours of 19:00 and 06:00, although allocated to predetermined routes, the Winter and Emergency Duty Officer may be required to direct these crews to other locations within the County. A detail log of action should be emailed by the Winter and Emergency Duty Officer to the relevant Local Highways Manager by 06:00 the following day.

3.6. Snow Room (Multi - Agency Emergency)

- 3.6.1. The Executive Director for Environment and Economy, as a Category 1 Responder, will declare an Emergency under the Civil Contingencies Act 2004 and call for the setting up a Strategic Coordination Group see Section 2.2 for further details. This will be in accordance with the Lincolnshire Resilience Forum's Severe Weather Plan.
- 3.6.2. The following organisations may have representatives in the snow room when it is in operation:
 - LCC Highways & Transportation
 - Lincolnshire Police
 - Lincolnshire Fire Brigade
 - Health Authority Ambulance Service
 - District Councils
- 3.6.3. The Snow Room will be set up in the Civil Contingencies Centre at Fire & Rescue Headquarters on South Park in Lincoln.
- 3.6.4. The Police will inform Highways & Transportation, when the actual/expected levels of public calls become significantly greater than normal switchboard manning can handle or there is an increase in road traffic collisions.
- 3.6.5. The Winter and Emergency Duty Officer will transfer to and operate from the Snow Room.
- 3.6.6. Once the decision is made to open the snow room it should be activated as quickly as possible. This should be within 4 hours.
- 3.6.7. The main task of the Highways Representative once communications are established is to make contact with each Local Highways Manager to determine the initial status of the County's roads. This information is then plotted on the wall map in the snow room.
- 3.6.8. Once sufficient information is available and the public phone lines are in operation through the Customer Service Centre, these phone numbers are broadcast by local radio thus enabling the public to make contact. The Director of Environment and Economy is then informed that the snow room is "going public".
- 3.6.9. The primary task of the Highways Representative is to maintain a constant flow of up to date information to the other liaison officers and the public phone desks.

 Information is then circulated in the snow room.
- 3.6.10. Local knowledge of villages and the road network should be passed by Local Highways Staff to the Highway Representative.

- 3.6.11. The Highways Representative has no dealings in the operational role of controlling snowploughs, other vehicles or the control of the labour force except in an emergency situation (in agreement with relevant District).
- 3.6.12. The police will trace owners of abandoned vehicles and contact them.
- 3.6.13. A supply of forms and copies of "Winter Maintenance Route" maps are kept for reference purposes.
- 3.6.14. Police emergencies are mainly missing person problems. This is usually dealt with at Police Divisional level, but where a significant problem occurs then this is transferred to Police Headquarters. In both situations the police may request that the snow clearing vehicles are asked to keep a look-out for people or bodies on the highway in certain specific locations. This request is passed initially to the Network Manager who may authorise direct contact between snow clearing vehicles and the snow room for further updates.
- 3.6.15. Fire and medical emergencies usually concern blocked roads on the route to a life and death situation which requires the Highways Authority to assist in clearing passage for vehicles to their destination and return. In this case it is the responsibility of the Network Manager to arrange reallocation of resources.
- 3.6.16. In an emergency situation, after the initial reaction has been dealt with, then the Director of Environment and Economy must be informed of any changes in the situation and the final outcome.
- 3.6.17. The callout of RAF/Army equipment (helicopters, ambulances, firefighting and snow clearance equipment) is in the hand of relevant emergency services and Chief Operating Officer (Development Services) or Executive Director (Environment and Economy). The Highways Representative in the snow room has NO authority to call upon this equipment, but when such equipment has been called upon then liaison is the same as above.
- 3.6.18. This process forms part of a Level 3 Response as defined in Lincolnshire County Council's Incident Response Plan as a Highways and Flood Authority. For smaller scale severe weather events, the Level 0, 1 and 2 processes in this document will be followed.

3.7. Media

- 3.7.1. Coverage by the media of winter maintenance and particularly snow clearance is important in making the public aware of the service provided and what roads are open or closed.
- 3.7.2. The Council will need to establish working arrangements with the local media to enable the presentation of timely and accurate information of which roads are open and which are closed. Local radio in particular considers this to be an important part of their broadcasting duties, and therefore provides an opportunity to build a good working relationship over wider issues.
- 3.7.3. It is important for the Authority to clarify and agree respective services and specialist responsibilities with people dealing with the media.
- 3.7.4. It is important to define and agree key contacts with the press and broadcasting media and also establish a clear understanding of the most effective timings for information to be provided in order to reach necessary audiences and broadcast schedules.
- 3.7.5. Information on costs, salt usage, plant usage, manpower etc. will be calculated by the Network Resilience Team.
- 3.7.6. In addition to supplying information to the press it is important to inform key stakeholders (these including emergency services, public transport operators, motoring organisations, and key local organisations).
- 3.7.7. The County Council's Media Service, Customer Service Centre staff and the Winter and Emergency Duty Officer will utilise Twitter to engage with and disseminate treatment actions and issues to the travelling public via Smartphone technology.

3.8. Weather Forecast Service

3.8.1. Routine forecasts and updates will be issued by the Forecast Service Provider via their own web-based service and also displayed via the Bureau Service Provider's online management software in the following format:

• 11:00 Forecast

- A summary 24 hour forecast for the County.
- Detailed forecast for each of the 43 Precautionary Salting Routes.

• 16:30 Evening Update

 An update for the overnight period of each of the 43 Precautionary Salting Routes.

Amendments

- If significant changes take place then the forecast is amended.
- 3.8.2. The Forecast Service Provider will amend the forecast at any time:
 - If there is a change from "no frost" forecast to a "frost" or when the road minimum is between plus and minus 3 degrees Celsius and there is a sustained difference between the forecast and actual graphical curve of 2 degrees Centigrade or more.
 - When there are significant changes to rainfall intensity and timing and road frost is expected or a significant change to snowfall is forecast.
- 3.8.3. As well as updating the Internet systems, the Forecast Service Provider will contact Network Resilience during working hours who will in turn contact Local Highways Teams (08:30 16:30), and the Winter and Emergency Duty Officer at all other times.
- 3.8.4. A 24 hour consultancy service is provided by the Forecast Service Provider, available to all staff.

NOTE: In the event of the internet systems not operating, the above forecasts will be emailed to Network Resilience Staff by the Forecast Service Provider.

3.9. Route Based Forecasting

- 3.9.1. In the past, the forecast provided to Lincolnshire was domain based, covering large geographical areas. This lead to treatment instructions for whole areas, meaning that some roads may have been treated despite not actually reaching a temperature where a hazard could form.
- 3.9.2. Innovations in forecasting technology now allow the Forecast Service Provider to provide a "route based forecast", which is effectively an individual forecast for each of the 43 precautionary salting routes, each of which is divided into multiple sections.
- 3.9.3. The worst-case scenario for each of the routes is used for precautionary salting routes. If one section of the route is forecast to experience a hazard, the whole route will be treated.
- 3.9.4. Route-based forecasting allows for a much more efficient precautionary salting service, as on marginal nights (generally at the start and end of the winter season) many of the 43 routes will not need to be treated. This saves not only on salt, but on labour costs and maintenance of vehicles.
- 3.9.5. Route-based forecasting does not provide benefits in prolonged periods of very cold weather, as it is likely that all of the precautionary salting routes will have hazards forecast at some point overnight. The benefits are realised in mild winters, where traditionally the technology hasn't been available to avoid over-treatment.
- 3.9.6. In future, it is possible that further granularity in treatment of the network will become available through emerging technology. Lincolnshire County Council attends various national groups and monitors best practice and will continue to trial new options as they become available, to deliver the most efficient service possible.

3.10. Treatment Flowcharts

- 3.10.1. Decision making flowcharts have been produced, which should be utilised during the winter maintenance decision making process. The flowcharts provide operational guidance, and professional judgement by competent decision makers should always be applied when coming up with treatments.
- 3.10.2. Dry or Damp Roads Please see Appendix E
- 3.10.3. Wet Roads Please see Appendix F
- 3.10.4. Snow Clearance Please see Appendix G

3.11. Cross Boundary Agreements

- 3.11.1. Cross Boundary Agreements have been developed following liaison and communication with neighbouring authorities.
- 3.11.2. Liaison takes place with other local authorities responsible for winter maintenance service on roads within and adjacent to the county regarding their treated routes and treatment decisions. Additionally, there is an exchange of treatment action instructions.
- 3.11.3. Any road treated by an adjoining authority would be treated in accordance with that authority's policies for operational purposes and not the local highway authority's policies.
- 3.11.4. The current cross boundary agreements with neighbouring authorities are as follows:
 - Cambridgeshire
 - Leicestershire
 - North Lincolnshire
 - North East Lincolnshire
 - Nottinghamshire
 - Peterborough
 - Rutland

3.11.5. Roads gritted by North Lincolnshire on behalf of Lincolnshire County Council:

- C227 from County Boundary to C228 High Street East in Scotter village.
- A159 from County Boundary to junction with C228 High Street East in Scotter village.
- B1211 from County Boundary to B1210 north for Brocklesby.
- B1210 from County Boundary to B1211 north for Brocklesby.
- B1400 from County Boundary south of Scallow Grove to County Boundary at Black Walk Nook.

• C221 from County Boundary to A159 junction in Scotter.

3.11.6. Roads gritted by Lincolnshire County Council on behalf of North Lincolnshire:

- A18 from County Boundary to junction with B1210.
- B1210 from County Boundary to junction with A18.
- A1084 from County Boundary to A18 roundabout in Brigg.
- B1434 from County Boundary to County Boundary.
- B1205 from County Boundary to County Boundary.

3.11.7. Roads gritted by Nottinghamshire on behalf of Lincolnshire County Council:

- A1133 length in Lincolnshire near Girton.
- A1133 from County Boundary to A57 at Newton-on-Trent.
- A57 from western junction with A1133 west to County Boundary.
- A631 from County Boundary over Gainsborough Bridge to A156.

3.11.8. Roads gritted by Lincolnshire County Council on behalf of Nottinghamshire:

- A17 from County Boundary west of Beckingham in Lincolnshire to the roundabout at the junction with C208 Beacon Hill Road/Stapleford Lane including the western side of the roundabout.
- C412 from County Boundary at Balderfield to B6326
- Spalford Road from County Boundary through Spalford to A1133
- In times of prolonged freezing:
 - C158 (C82) from Lincolnshire/Nottinghamshire boundary near North Scarle to the A1133 at Besthorpe.
 - C163 (C128) from Lincolnshire/Nottinghamshire boundary near Swinderby to the A1133 at Collingham.
 - C123 (C44) from Lincolnshire/Nottinghamshire boundary near Stapleford to the A17 near Coddington.

3.11.9. Roads gritted by Peterborough CC on behalf of Lincolnshire County Council:

- B1081 from County Boundary to A43.
- B1443 from A43 junction east to County Boundary.
- A43 from junction with B1443 to County Boundary.
- New A16 from new roundabout at A16/A1073 junction, Crowland to County Boundary.
- Existing A1073 from new roundabout at A16/A1073 junction, Crowland to County Boundary.

3.11.10. Roads gritted by Lincolnshire County Council on behalf of Peterborough CC:

- A15 from A16/ B1525 roundabout across County Boundary to A15/B1524 roundabout.
- B1524 from B1525 roundabout to A15 Maxey roundabout.

3.11.11. Roads gritted by Rutland on behalf of Lincolnshire County Council:

- A606 from County Boundary to the junction with B1081.
- B1081 from County Boundary to junction with A606.
- C432 from County Boundary to junction with C431 Station Road

3.11.12. Roads gritted by Lincolnshire County Council on behalf of Rutland:

- B1176 from County Boundary to A6121 north of Ryhall.
- A6121 from County Boundary to County Boundary through Ryhall.

3.11.13. Roads gritted by Lincolnshire County Council on behalf of Cambridgeshire:

- Bythorne Bank from Chapel Gate at County Boundary to Cross Drove
- B1166 from County Boundary at South Eau Bank crossing bridge to Marshall's Bank.

3.11.14. Roads gritted by Leicestershire on behalf of Lincolnshire County Council:

• C427 from County Boundary (north east of Normanton) to Long Bennington C418 Main Road.

3.11.15. Roads gritted by Lincolnshire County Council on behalf of Leicestershire:

- C440 from County Boundary to Harston village junction with Denton Lane.
- C492 from County Boundary to Harston village junction with Woolthorpe Lane.

3.11.16. Road gritted by North East Lincolnshire on behalf of Lincolnshire County Council:

- A1173 from County Boundary to junction with A18.
- Hatcliffe Road from B1203 to County Boundary.
- C243 Stallingborough Road from South Street to County Boundary

3.11.17. Roads gritted by Lincolnshire County Council on behalf of North East Lincolnshire:

- A46 from County Boundary going east to A46 roundabout.
- Old Main Road from A46 through Irby upon Humber to A46.
- A18 from County Boundary to C638 Whites Road.
- A16 from County Boundary to B1219 roundabout.
- A1031 from County Boundary to junction with B1219.

3.12. Public Self Help Guidance literature

- 3.12.1. Based on national guidance issued by the Department for Transport, Lincolnshire has produced two self-help documents. These are:
 - Clearing Snow off the Carriageway (Appendix H)
 - Clearing Snow from Footways (Appendix I)
- 3.12.2. These will continue to be distributed to the public.

3.13. Use of rebated Diesel Oil (Red Diesel)

- 3.13.1. A snow clearing vehicle is an excepted vehicle (and thus can use red diesel) when it is being used or going to or from the place where it is to be or has been used for the purpose of clearing snow from public roads by means of a snow plough or similar device.
- 3.13.2. Agricultural vehicles are also not excluded, so that, for example a farm tractor with a snow plough fitted is entitled to use red diesel for clearing snow from the public road.
- 3.13.3. The law on gritting differs in that a qualifying vehicle must be constructed or adapted, and used, solely for the conveyance of machinery for spreading materials on roads to deal with frost, ice or snow.
- 3.13.4. Consequently, a farm tractor which is neither constructed nor used solely for such work is not entitled to use red diesel for gritting public roads.

3.14. Mutual Aid and Self Help Arrangements with Parish and District Councils

- 3.14.1. As part of a cross cutting action to engage with all communities within the county concerning how all parties could work together in times of emergency and crisis the following actions will be undertaken.
- 3.14.2. Highways staff will engage with all District Councils concerning mutual aid in times of severe weather. A memorandum of understanding should be developed with individual District Councils to outline mutual aid arrangements.
- 3.14.3. Highways staff will engage with Town/Parish Councils and other Community Groups to encourage participation in a programme of self-help and mutual aid. The aim being to provide a framework within which willing, locally based volunteers clear snow, primarily from footways, within key areas of their community. In return for agreed participation, Lincolnshire County Council undertakes to provide limited amounts of additional salt/grit in "1 tonne sacks" at agreed locations. Those wishing to take part will need to agree to the following points:
 - Provide a contact point for the exchange of information
 - What are the priority footways that are intended to be cleared
 - Agree the quantity and location of additional salt supplies
- 3.14.4. Parish/Town Councils are encouraged to develop a Snow and Ice Plan as part of their Community Emergency Plan.

Main Villages in Lincolnshire

Main villages were defined in the County Structure Plan between 1981 and 1991 and updated on a later submission to the Secretary of State as the following villages:

Boston Borough

- Butterwick
- Kirton
- Old Leake
- Sutterton
- Swineshead

East Lindsey District

- Binbrook
- Burgh le Marsh
- Chapel St Leonards
- Grimoldby/Manby
- Holton le Clay
- Legbourne
- Mareham le Fen
- North Somercotes
- North Thoresby
- Sibsey
- Stickney
- Tetford
- Tetney
- Wainfleet
- Woodhall Spa
- Wragby

North Kesteven District

- Bassingham
- Billinghay
- Branston
- Eagle
- Heckington
- Heighington
- Helpringham
- Metheringham
- Navenby

- Ruskington
- Skellingthorpe
- Swinderby
- Waddington
- Washingborough

South Holland District

- Cowbit
- Deeping St Nicholas
- Donington
- The Droves (Gedney Hill, HolbeachDrove, Whaplode Drove, Shepeau Stow) *
- Gosberton
- Moulton
- Pinchbeck
- Weston
- Whaplode

South Holland District

- Ancaster
- Barrowby
- Baston
- Billingborough
- Caythorpe
- Claypole
- Colsterworth
- Corby Glen
- Great Gonerby
- Langtoft
- Long Bennington
- Morton
- Rippingale
- South Witham
- Thurlby

West Lindsey District

- Bardney
- Blyton
- Cherry Willingham
- Dunholme
- Ingham
- Keelby
- Nettleham
- North Kelsey
- Saxilby

Winter Maintenance Plan 2017

- Scotter
- Sturton by Stow
- Sudbrooke
- Welton

These villages are considered as per section 2.1.1.

Network Evaluation Form

	Reference No.	
Requested by		
Location		
Road Name and Number		
Distance (m)		
Average Width of Road		
Obstructions to Gritting Observations		
(Speed Retarders, Access for Plough etc.)		

		Y/N	
1.	Is the Road Suitable for Gritters (Width, ability to exit/turn without reversing etc.)?		If no - do not proceed
2.	Is a Reasonable Alternative Treated Route Available?		If yes - do not proceed
3.	Is Sufficient Capacity available on Relevant Route?		If no - do not proceed

Item	Points	Occ.	Road Speed	Total
Public Service Bus Route (daily)	20			
Service Provided at least 5 days/week				
Public Service Bus Route (less than daily)	10			
Service Provided at least 5 days/week				
School Bus Route	20			
Contract Route (16+ seater PCV Licence Required)				
Injury Accident Record (last three years)	15			
Ice & Snow related – 15 points per reported accident				
Health Centre on Route	15			
GP Practice				
Railway / Bus Station on Route	15			
15 points awarded for each				
Bends	5		< = 30	
5 points each			31 - 50	
			51 >	
Junctions	1		< = 30	
1 point each			31 - 50	
			51 >	
Steep Gradient	10			
10 points if 1 or more gradients (>1 in 15 over 50m)				
Deep Drains or Water Course Adjacent to Road	10			
10 points / side (over 2m from C/Way level to bed level				
Ditches	5			
(5 points / side (within 1m of C/Way, less than 2m deep)				
Only 1 Public Service or School Bus Scores to be Used. Road Speed: up to 30mph = x1, 31mph to 50mph = x2, 51mph and above = x3		-	Total Point Score	

Total Points Score Divided by Road Length = Final Score

Engineering Comments

Evaluation for Additional Grit Bins

	Reference No.
Requested by	
Location	
Road Name and Number	
Use of Grit Bin (Carriageway/Footway Treatment)	

	Y/N	
Is it Maintainable Public Highway?		If no - do not proceed
2. Is there a Suitable Location for a Grit Bin?		If no - do not proceed
3. Is there a Responsible Body to look after Grit Bin?		If no - do not proceed If yes – please state below


Item	Points	Points	Total
	(Carriageway)	(Footway)	
Gradients			
• > 1 in 20	75	75	
• 1 in 20 to 1 in 30	0	40	
• < 1 in 30	0	0	
Proximity of Existing Grit Bin			
Within 50m	-100	-100	
• 50 – 100m	-50	-50	
• 100 – 200m	0	0	
• >200m	30	30	
Number of Premises (Only Access Route)			
• > 50	30	30	
• 20 – 50	20	20	
• <20	0	0	
Community Facilities			
(within 200m of proposed grit bin)			
 School (not directly on treated network) 	20	30	
Post Office/Local Shop	10	20	
Local Shopping Centre	20	30	
Community/Medical Centre	0	10	
Winter Route Priority			
(location of proposed grit bin)			
On Priority Gritting Network	-200	N/A	
On Severe Weather Gritting Network	-100	N/A	
Not on a Gritting Network	20	N/A	
SCORE MUST EXCEED 50 POINT	S TO PROVIDE GRIT BIN		
		TOTAL	

Midlands Service Improvement Group - Winter Service for Footways and Cycleways

Category	Overnight Frost Conditions	Daytime Frost Conditions	Extended Ice Conditions	Snow Events
	Overnight forecast temperatures below zero but not extending beyond 8am	Overnight forecast temperatures below zero extending beyond 8am	Persistent widespread ice (rather than frost) for more than 18 hours in a 24-hour period and a forecast not to rise above zero for a further 18 hours in the next 24 hours.	
1a	No treatment	Precautionary treatment	Monitor and further treatment as required when resources permit. Treatment only during normal working hours.	Snow removal will commence when resources come available from higher priority treatments. Endeavours will be made to complete clearance within 12 hours of cessation of snowfall, subject to availability of resources. Treatment only during normal working hours.
1	No treatment	No treatment	Monitor and treatment as required when resources permit. Treatment only during normal working hours.	Snow removal will commence when resources come available from higher priority treatments. Endeavours will be made to commence clearance within 24 hours of cessation of snowfall, subject to availability of resources. Treatment only during normal working hours.
2	No treatment	No treatment	Monitor and treatment as required when resources permit. Treatment only during normal working hours.	Snow removal will commence when resources come available from higher priority treatments. Endeavours will be made to commence clearance within 48 hours of cessation of snowfall, subject to availability of resources. Treatment only during normal working hours.
3	No treatment	No treatment	Reactive treatment not normally undertaken other than in response to specific circumstances. Treatment only during normal working hours.	Snow removal will commence when resources come available from higher priority treatments. Endeavours will be made to commence clearance within 5 days of cessation of snowfall,
4	No treatment	No treatment	asing normal working nouts.	subject to availability of resources. Treatment only during normal working hours.

Note: At all times priority will be given to the Precautionary Salting Network. Combined footway/cycleways are treated in accordance with footway hierarchy. Segregated cycleways are not treated.


Chart 1 – Precautionary Salting Flowchart for Dry or Damp Road Conditions



Notes:

- 1. The treatment time should allow for all roads to be treated prior to ice forming (subject to residual salt).
- 2. The latest callout time in the morning to ensure completion of the Precautionary Salting Network prior to the rush hour is 03:00.
- 3. Runs may be timed to avoid rush hour traffic. This is to prevent low speeds and stop/star manoeuvres which would affect spread patterns.
- 4. All routes should be completed after rainfall. If rain occurs during a run the treatment should be suspended and recommenced once rain ceases. If rainfall is heavy then consideration should be given to treating the whole route again.
- 5. This decision matrix is based on guidance contained in Well Maintained Highways, Code of Practice for Highway Maintenance Management and the NWSRG guide for treatment of snow and ice
- 6. For situations of a high or medium confidence of a morning hoar frost, treatments can be made so that gritting runs are completed by 23:00 the preceding evening. This is to allow for Driver's Hours regulations to be more easily adhered to.
- 7. Treatment rates at specific depots may be altered to take account of moisture content of salt following laboratory tests. Maximum allowable moisture content is 4%.
- 8. Ancaster and Thurlby depots run with a 10% mixture of Safecote agricultural by-product in the brine
- 9. Road temperatures for decision making are to be based on Route Based Forecast minimums. This takes into account known cold spots on the treated network.
- 10. If period below freezing exceeds 8 hours then grip factor should be monitored and if necessary a second run considered.
- 11. Second runs within 6 hours of the initial treatment may be carried out at 50% of the initial spread rates if no runoff water or ice is present.
- 12. Pre-wet treatments from Ancaster and Thurlby incorporate agricultural by-products which reduces the need for second treatments.
- 13. Consideration should be given to running routes in reverse during periods of prolonged ice or snow.


Chart 2 – Precautionary Salting Flowchart for Wet Road Conditions



Notes:

- 1. The treatment time should allow for all roads to be treated prior to ice forming (subject to residual salt).
- 2. The latest callout time in the morning to ensure completion of the Precautionary Salting Network prior to the rush hour is 03:00.
- 3. Runs may be timed to avoid rush hour traffic. This is to prevent low speeds and stop/star manoeuvres which would affect spread patterns.
- 4. All routes should be completed after rainfall. If rain occurs during a run the treatment should be suspended and recommenced once rain ceases. If rainfall is heavy then consideration should be given to treating the whole route again.
- 5. This decision matrix is based on guidance contained in Well Maintained Highways, Code of Practice for Highway Maintenance Management and the NWSRG guide for treatment of snow and ice
- 6. For situations of a high or medium confidence of a morning hoar frost, treatments can be made so that gritting runs are completed by 23:00 the preceding evening. This is to allow for Driver's Hours regulations to be more easily adhered to.
- 7. Treatment rates at specific depots may be altered to take account of moisture content of salt following laboratory tests. Maximum allowable moisture content is 4%.
- 8. Ancaster and Thurlby depots run with a 10% mixture of Safecote agricultural by-product in the brine
- 9. Road temperatures for decision making are to be based on Route Based Forecast minimums. This takes into account known cold spots on the treated network.
- 10. If period below freezing exceeds 8 hours then grip factor should be monitored and if necessary a second run considered.
- 11. Second runs within 6 hours of the initial treatment may be carried out at 50% of the initial spread rates if no runoff water or ice is present.
- 12. Pre-wet treatments from Ancaster and Thurlby incorporate agricultural by-products which reduces the need for second treatments.
- 13. Consideration should be given to running routes in reverse during periods of prolonged ice or snow.

Chart 3 – Snow Clearance



Notes:

- 1. When ploughing is ongoing, local snow rooms should be set up by District Highway Managers.
- 2. The County snow room will be set in extreme winter conditions in accordance with LRF procedures.
- 3. During 24 hour snow clearing operations, Highways District Managers are to liaise with the Fleet Services Contractor over fitters operating from depots.
- 4. Consideration should be given to drivers and mates being brought into depots on a standby basis.
- 5. When snow is forecast, Highways Districts are responsible for ordering sand for snow clearance operations.
- 6. Grit/sand shall be 2mm 6mm coarse/sharp sand.
- 7. Gritters should be double-manned when ploughing or travelling in blizzard conditions. If slush ploughing, single manned operations are acceptable.
- 8. Footway treatments should follow section 2.4 and Appendix ?? Of the Winter Maintenance Plan
- 9. Cosideration should be given to spreading extra salt on hills.
- 10. Emergency Hill Routes have been prepared for the City of Lincoln and the relevant District Highways Manager should give consideration to running these in snow situations.
- 11. When ploughs are fitted, the gritters should be empty of brine due to axle loading constraints. Brine can either be used in pre-wetting operations prior to snowfall, or emptied into the bunds around the brine manufacturing plant.
- 12. Severe Weather Routes should only be treated during daylight.

Self-Help Tips

Clearing Snow off the Carriageway

- DO use purpose built snowploughs if available.
- DO skim the top of the snow off with a JCB/mechanical bucket to leave an inch of snow so you do not damage the road surface, remove "cat's eyes" or come into contact with ironwork.
- DO NOT scrape the road surface with a JCB/mechanical bucket.
- DO report any damage caused or found.
- DO operate with dipped beam headlights at all times.
- DO operate flashing/rotating amber beacons (where fitted) at all times.
- DO place the snow on the verge or grassed areas.
- DO NOT obstruct accesses or footpaths with the snow.
- DO keep in regular contact (minimum hourly) with operational base.

Vehicle operators/drivers are to have available and use:

- Reflective jacket
- Emergency food and drink
- Mobile telephone or radio system
- Wear stout footwear
- Wear snow and ice grippers when walking outside of vehicle

Self-Help Tips

Clearing Snow from Footways

- DO work from the footway at all times working towards oncoming traffic wherever possible.
- DO NOT lift too much snow or ice at one time. Compacted snow can be very heavy.
- DO NOT use hot water to melt snow or ice it may refreeze to form "black ice".
- DO place snow at the edges of footways next to the road. This helps to form a barrier between cars and pedestrians.
- DO put sand or ash down on cleared areas as it will give grip to walkers.
- DO use grit/salt from grit bins sparingly.
- DO NOT use grit/salt from highways grit bins on private property this is theft.
- You DO NOT need to use a lot of salt a teaspoon of salt per square metre will defrost ice patches.
- DO NOT work in blizzard conditions.

When working outside:


- Wrap up warm
- Wear a reflective coat if available
- Wear stout footwear
- Wear snow and ice grippers when walking, especially when pushing snow
- Beware of hypothermia and wind chill effects

There is no law stopping you from clearing snow and ice on the pavement outside your property, pathways to your property or public spaces. This includes both public carriageways and footways.


If an accident did happen, it is unlikely you would be sued as long as you:

- Are careful
- Use common sense to make sure that you do not make the pavement or pathway clearly more dangerous than before


People using areas affected by snow and ice have a responsibility to be careful themselves.




2017/18
Precautionary Salting Routes
Plan 1 of 4



2017/18
Precautionary Salting Routes
Plan 2 of 4



Precautionary Salting Routes
Plan 3 of 4



2017/18
Precautionary Salting Routes
Plan 4 of 4